JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2007
Volume 97

SUBJECT INDEX

A

Amputation
Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351

Anatomy
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
The branches of the superficial peroneal nerve and their clinical significance [Lemont], 4:319; (commentary) [Joseph], 4:319
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Radiographic study of the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuera et al], 6:460
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385

Aneurysm
Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480

Ankle
Effects of foot orthoses on patients with chronic ankle instability [Richie], 1:19
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424

Anterior cruciate ligament
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371

Anthropometry
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366

APMA Announcements and Reports
2007 Podiatric Practice Survey: statistical results [Al Fisher Associates, Inc], 6:496

Arch height
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115

Artery
The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels], 4:278; (commentary) [Hoffman], 4:278
Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151

Arthritis
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

Arthropathy
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325

Arthroscopy
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238

B

Biomechanics
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Achilles tendon sports injuries: a review of classification and treatment [Werd], 1:37
Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
An approach to foot orthopedics [Root], 4:299; (commentary) [Sanner], 4:299
Biomechanical evaluation of dancers and assessment of their risk of injury [Schoene], 1:75
Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Effects of foot orthoses on patients with chronic ankle instability [Richie], 1:19
Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital [Jessup], 3:213
Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447
Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102
Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207
A strapping [Dye], 4:282; (commentary) [Dananberg], 4:282

Blood
Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant [Schreck], 2:145
Chronic ischemia presenting as muscular groin pain [Diacogiorgis], 5:402
The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels], 4:278; (commentary) [Hoffman], 4:278
Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480

Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151

Body mass
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366

Bone
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428
Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant [Schreck], 2:145
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483
Giant cell tumor of the talar neck [Selek et al], 3:225
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424
Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81
A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

Book reviews
Foot Health Training Guide for Long-Term Care Personnel (Helfand) [Robbins], 5:430
Public Health and Podiatric Medicine: Principles and Practice, 2nd Ed (Helfand, ed) [Kanat], 3:97

Brachymetatarsia
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189

C

Calcaneus
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

Cartilage
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156

Charcot's foot
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325

Chondrosarcoma
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156

Clubfoot
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126

Computer technology
Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486

Congenital deformity
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Equinus deformity as a factor in forefoot nerve entrapment (letter) [Perez], 2:171
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126

Corticosteroids
Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68

Cryotherapy
The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439

Cuboid
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126

Cuneiform
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483

D

Dancers
Biomechanical evaluation of dancers and assessment of their risk of injury [Schoene], 1:75
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385

Dermatophytes
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134

Diabetes mellitus
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325
Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351
The obligation and the opportunity of the chiropodist in the treatment of diabetes [Joslin], 4:271; (commentary) [Armstrong], 4:271
Painful diabetic peripheral neuropathy [Smith], 5:394
The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121

DNA
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134

E

Education
Civic Hospital: a report of its first year of operation [Kaplan], 4:296; (commentary) [Kanat], 4:296
Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486

Electromyography
Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447

Equinus deformity
Equinus deformity as a factor in forefoot nerve entrapment (letter) [Perez], 2:171
Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160

Exercise
Exercise-induced rhabdomyolysis [Caban et al], 3:234

F

Falls
Foot impairment—an etiologic factor in falls in the aged [Helfand], 4:304; (commentary) [Menz], 4:304
Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital [Jessup], 3:213
Podiatric involvement in multidisciplinary falls-prevention clinics in Australia [Menz and Hill], 5:377

Fasciitis, plantar
Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68

Fasciitis, tibial
Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31

Fibroma
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223

Flatfoot
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
An introduction to the study of children's feet: part one [Tax], 4:287; (commentary) [Volpe], 4:287

Footdrop
Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160

Foot structure
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366

Foot type
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385

Footwear
The feet of the fighting men [Gregory]; (commentary) [Agostinelli], 4:266
Foot health service provision by the Australian Department of Veterans' Affairs: do major podiatry interventions reduce the number of maintenance treatments? [Frescos and Menz], 6:469
Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital [Jessup], 3:213
Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447

Forefoot
Equinus deformity as a factor in forefoot nerve entrapment (letter) [Perez], 2:171
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385

Fracture
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483
Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81
A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85

G

Gait
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102

Ganglion
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424

Gangrene
The obligation and the opportunity of the chiropodist in the treatment of diabetes [Joslin], 4:271; (commentary) [Armstrong], 4:271

Geriatric population
Foot health service provision by the Australian Department of Veterans' Affairs: do major podiatry interventions reduce the number of maintenance treatments? [Frescos and Menz], 6:469
Foot impairment—an etiologic factor in falls in the aged [Helfand], 4:304; (commentary) [Menz], 4:304
Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital [Jessup], 3:213
Podiatric involvement in multidisciplinary falls-prevention clinics in Australia [Menz and Hill], 5:377

Gout
Atypical gout in the foot and ankle secondary to primary hyperparathyroidism [Nirenberg and Carroll], 3:245

Guidelines, authors'
Guidelines for authors [Joseph], 1:89, 3:249, 5:431

H

Hallux
Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Leiomyosarcoma of the foot: a case study [Engel et al], 6:475
Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Radiographic study of the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuera et al], 6:460

Heel
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108
Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68

Hematoma
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410

Histiocytoma
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

Hospital
Civic Hospital: a report of its first year of operation [Kaplan], 4:296; (commentary) [Kanat], 4:296
Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital [Jessup], 3:213

Hyperparathyroidism
Atypical gout in the foot and ankle secondary to primary hyperparathyroidism [Nirenberg and Carroll], 3:245

I

Imaging
Magnetic resonance imaging in the evaluation of sports injuries of the foot and ankle: a pictorial essay [Riley], 1:59

Infection
Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant [Schreck], 2:145
Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Pencillin [Stickel], 4:285; (commentary) [Joseph], 4:285

Injury
Achilles tendon sports injuries: a review of classification and treatment [Werd], 1:37
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Biomechanical evaluation of dancers and assessment of their risk of injury [Schoene], 1:75
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483
Lower-extremity overuse injury and use of foot orthotic devices in women's basketball (letter) [Scarlet], 2:172; (author's response) [Jenkins], 2:172
Magnetic resonance imaging in the evaluation of sports injuries of the foot and ankle: a pictorial essay [Riley], 1:59
Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229

Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81
A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85

Internet
Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486
Ischemia
Chronic ischemia presenting as muscular groin pain [Diacogiorgis], 5:402

J

Joint
Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325
Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Effects of foot orthoses on patients with chronic ankle instability [Richie], 1:19
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424

K

Kidney
Exercise-induced rhabdomyolysis [Caban et al], 3:234

Kinematics
Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447
Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207

L

Leiomyosarcoma
Leiomyosarcoma of the foot: a case study [Engel et al], 6:475

Lesion
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Giant cell tumor of the talar neck [Selek et al], 3:225
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424
Leiomyosarcoma of the foot: a case study [Engel et al], 6:475
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

Leukemia
Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant [Schreck], 2:145

Ligament
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371

Longitudinal arch angle
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102

M

Metatarsal
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Radiographic study of the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuera et al], 6:460
A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85
The use of vitamin B12 in Morton's neuralgia [Steinberg], 4:293; (commentary) [Lemont], 4:293

Morphology
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102

Muscle
Chronic ischemia presenting as muscular groin pain [Diacogiorgis], 5:402
Exercise-induced rhabdomyolysis [Caban et al], 3:234
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229

Myositis ossificans circumscripta
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229

N

Nail
Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
A modification in the technic of operation for ingrown toenail [Winograd], 4:274; (commentary) [Dockery], 4:274
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134

A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Phenol-alcohol technique for correction of infected ingrown toenail [Yale], 4:310; (commentary) [Miller], 4:310

Negative-pressure wound therapy
Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410

Nerve
The branches of the superficial peroneal nerve and their clinical significance [Lemont], 4:319; (commentary) [Joseph], 4:319
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325
Efficacy of chemical neurolysis for the treatment of interdigital nerve compression of the foot: a retrospective study [Mozena and Clifford], 3:203
Equinus deformity as a factor in forefoot nerve entrapment (letter) [Perez], 2:171; (author's response) [Barrett], 2:171
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121
The use of vitamin B^{12} in Morton's neuralgia [Steinberg], 4:293; (commentary) [Lemont], 4:293

Neuralgia
The use of vitamin B^{12} in Morton's neuralgia [Steinberg], 4:293; (commentary) [Lemont], 4:293

Neurilemoma
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148

Neuroarthropathy
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325

Neurolysis
Efficacy of chemical neurolysis for the treatment of interdigital nerve compression of the foot: a retrospective study [Mozena and Clifford], 3:203

Neuroma
Efficacy of chemical neurolysis for the treatment of interdigital nerve compression of the foot: a retrospective study [Mozena and Clifford], 3:203

Neuropathy
Charcot foot [Banks and McGlamry], 4:325; (commentary) [Downey], 4:325
Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Painful diabetic peripheral neuropathy [Smith], 5:394
The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121

O

Obesity
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366

Onychocryptosis
A modification in the technic of operation for ingrown toenail [Winograd], 4:274; (commentary) [Dockery], 4:274
A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Phenol-alcohol technique for correction of infected ingrown toenail [Yale], 4:310; (commentary) [Miller], 4:310

Onychomycosis
Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134

Orthopedics
An approach to foot orthopedics [Root], 4:299; (commentary) [Sanner], 4:299

Orthoses
Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Effects of foot orthoses on patients with chronic ankle instability [Richie], 1:19
Lower-extremity overuse injury and use of foot orthotic devices in women's basketball (letter) [Scarlet], 2:172; (author's response) [Jenkins], 2:172
Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207

Osteoma
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229

Osteoporosis
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

Osteotomy
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420

Os vesalianum pedis
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428

P

Pain
Chronic ischemia presenting as muscular groin pain [Diacogiorgis], 5:402

Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68
Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405

Pediatric population
Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant [Schreck], 2:145
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
An introduction to the study of children's feet: part one [Tax], 4:287; (commentary) [Volpe], 4:287

Penicillin
Pencillin [Stickel], 4:285; (commentary) [Joseph], 4:285

Pes planus
Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
An introduction to the study of children's feet: part one [Tax], 4:287; (commentary) [Volpe], 4:287

Phalanx
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156

Pharmacology
Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68
Painful diabetic peripheral neuropathy [Smith], 5:394

President's Message
Acceptance address: saluting the present, envisioning an even brighter future [Robertozzi], 3:254
Address to APMA's House of Delegates [Schofield], 3:97
Grateful [Robertozzi], 6:494
Strategic planning [Robertozzi], 5:436
Thank you [Schofield], 2:174
A victory hard won [Schofield], 1:94
Vision 2015: blueprint for parity [Robertozzi], 4:349

Pressure, plantar
Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49

Pronation
An introduction to the study of children's feet: part one [Tax], 4:287; (commentary) [Volpe], 4:287
Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207

Protein S
Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151

Publishing history
Celebrating 100 years of the *Journal* [Joseph], 4:259
From *Pedic Society Items* to JAPMA: 1907-2007 [Joseph], 1:1
The *Journal of the American Podiatric Medical Association:* one hundred years of passion and progress [Zych], 4:260

R

Rearfoot
Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207

Renal failure
Exercise-induced rhabdomyolysis [Caban et al], 3:234

Research
Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486
Statistical and clinical interpretation of research results [Allison], 2:165

Rhabdomyolysis
Exercise-induced rhabdomyolysis [Caban et al], 3:234

Rheumatology
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

Running
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102

S

Sarcoma
Leiomyosarcoma of the foot: a case study [Engel et al], 6:475

Sesamoid
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85

Shin splints
Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31

Skin
The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439
Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360

Sports medicine
Achilles tendon sports injuries: a review of classification and treatment [Werd], 1:37
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Biomechanical evaluation of dancers and assessment of their risk of injury [Schoene], 1:75
Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids [Pribut], 1:68
Effects of foot orthoses on patients with chronic ankle instability [Richie], 1:19
Lower-extremity overuse injury and use of foot orthotic devices in women's basketball (letter) [Scarlet], 2:172; (author's response) [Jenkins], 2:172
Magnetic resonance imaging in the evaluation of sports injuries of the foot and ankle: a pictorial essay [Riley], 1:59

Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31
Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385
Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85

Statistics
2007 Podiatric Practice Survey: statistical results [Al Fisher Associates, Inc], 6:496
Statistical and clinical interpretation of research results [Allison], 2:165

Surgery
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424
A modification in the technic of operation for ingrown toenail [Winograd], 4:274; (commentary) [Dockery], 4:274
Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Phenol-alcohol technique for correction of infected ingrown toenail [Yale], 4:310; (commentary) [Miller], 4:310
Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160
A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121

Survey
2007 Podiatric Practice Survey: statistical results [Al Fisher Associates, Inc], 6:496
The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121

Syndesmosis
Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457

Synovitis, pigmented villonodular
Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415

Synovium
Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415

T

Talus
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Giant cell tumor of the talar neck [Selek et al], 3:225
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424

Taping
A strapping [Dye], 4:282; (commentary) [Dananberg], 4:282

Tarsal tunnel syndrome
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148

Tendon
Achilles tendon sports injuries: a review of classification and treatment [Werd], 1:37

Thermometry
Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360

Thromboangiitis obliterans
The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels], 4:278; (commentary) [Hoffman], 4:278

Thrombosis
The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels], 4:278; (commentary) [Hoffman], 4:278
Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151

Tibia
Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31

Toe
Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review [Binstock], 2:134
A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385

Tumor
Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223

Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Giant cell tumor of the talar neck [Selek et al], 3:225
Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint [Cebesoy], 5:424
Leiomyosarcoma of the foot: a case study [Engel et al], 6:475
Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

U

Ulcer
Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351
Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Use of noncontact low-frequency ultrasound in the treatment of chronic foot and leg ulcerations [Kavros and Schenck], 2:95

Ultrasound
Use of noncontact low-frequency ultrasound in the treatment of chronic foot and leg ulcerations [Kavros and Schenck], 2:95
Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

V

Vascular system
Chronic ischemia presenting as muscular groin pain [Diacogiorgis], 5:402
The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels], 4:278; (commentary) [Hoffman], 4:278
Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151

Veterans
Foot health service provision by the Australian Department of Veterans' Affairs: do major podiatry interventions reduce the number of maintenance treatments? [Frescos and Menz], 6:469

Vitamin B^{12}
The use of vitamin B^{12} in Morton's neuralgia [Steinberg], 4:293; (commentary) [Lemont], 4:293

W

War
The feet of the fighting men [Gregory], 266; (commentary) [Agostinelli], 266

Y

Youngswick procedure
Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420

AUTHOR INDEX

A

Agarwal, Monica: Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Agostinelli, Joseph R.: The feet of the fighting men [Gregory] (commentary), 4:266
Allison, Garry T.: Statistical and clinical interpretation of research results, 2:165
Alonso-Peña, David: A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Altay, Taskin: Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Anain Jr., Joseph: Leiomyosarcoma of the foot: a case study [Engel et al], 6:475
Archer, Krista A.: Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151
Armstrong, David G.: The obligation and the opportunity of the chiropodist in the treatment of diabetes [Joslin] (commentary), 4:271

B

Banks, Alan S.: Charcot foot [Banks and McGlamry], 4:325
Barrett, Stephen L.: Equinus deformity as a factor in forefoot nerve entrapment (author's response), 2:171
Bek, Dogan: An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Benard, Marc: Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Bilen, Erkal: Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Binstock, Judith M.: Molecular biology techniques for identifying dermatophytes and their possible use in diagnosing onychomycosis in human toenail: a review, 2:134
Birke, James A.: Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360
Bouché, Richard T.: Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31
Bowen, Catherine J.: Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108
Boya, Hakan:
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385
Brasseaux, Denise: Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360
Brenner, Marc A.: Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Bryant, Alan R.: Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Butler, Michael: Leiomyosarcoma of the foot: a case study [Engel et al], 6:475

C

Caban, Gregorio: Exercise-induced rhabdomyolysis [Caban et al], 3:234
Canales, Michael B.: The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439
Carpintero, Pedro: Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Carroll, Michael C.: Atypical gout in the foot and ankle secondary to primary hyperparathyroidism [Nirenberg and Carroll], 3:245
Castillo, José M.: Radiographic study about the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuéra et al], 6:460
Cebesoy, Oguz: Intraosseous ganglion of the talus treated with the talonavicular joint approach without exposing the ankle joint, 5:424
Chagares, William E.: Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Choe, Ki: Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Clifford, Jared T.: Efficacy of chemical neurolysis for the treatment of interdigital nerve compression of the foot: a retrospective study [Mozena and Clifford], 3:203
Cornwall, Mark W.: Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102
Cryer, Jacqueline R.: Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108

D

Dallouei, Seyed R. Sharifi: Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223
Dananberg, Howard J.: A strapping [Dye] (commentary), 4:282
Demiralp, Bahtiyar: An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Diacogiorgis, Dimitri: Chronic ischemia presenting as muscular groin pain, 5:402
Dockery, G. Dock: A modification in the technic of operation for ingrown toe-nail [Winograd] (commentary), 4:274
Dodson, Nicholas B.: Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Domínguez, Gabriel: Radiographic study of the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuera et al], 6:460
Donaldson, Malcolm D. C.: Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
Downey, Michael S.: Charcot foot [Banks and McGlamry] (commentary), 4:325
Durward, Brian R.: Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
Dye, Ralph W.: A strapping, 4:282

E

Ebrahimzadeh, Mohamad H.: Chondromyxoid fibroma of the calcaneus [Ebrahimzadeh and Dallouei], 3:223

Engel, Erin: Leiomyosarcoma of the foot: a case study [Engel et al], 6:475
Erdem, Mehmet: Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Erdem, Özlem: Giant cell tumor of the talar neck [Selek et al], 3:225
Erler, Kaan: An uncommon presentation of malignant f ibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

F

Ferdinando, Edward: Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Fikar, Charles R.: Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486
Al Fisher Associates, Inc: 2007 Podiatric Practice Survey: statistical results, 6:496
Foto, James G.: Essential features of a handheld infrared thermometer used to guide the treatment of neuropathic feet [Foto et al], 5:360
Franettovich, Melinda M.: The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Freschi, Scot: Osteoid osteoma: an uncommon cause of foot pain [Freschi and Dodson], 5:405
Frescos, Nicoletta: Foot health service provision by the Australian Department of Veterans' Affairs: do major podiatry interventions reduce the number of maintenance treatments? [Frescos and Menz], 6:469
Frykberg, Robert G.: Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351

G

Gascon, Emilio: Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Gianfortune, Philip J.: Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
Granger, Dave: A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Gregory, John S.: The feet of the fighting men, 4:266
Grumbine, Nicholas: Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Guerin, Laura: Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Gunal, Izge: Effects of three- or four-corteex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Gunes, Taner: Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238

H

Haber, Jonathan A.: Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151
Hagino, Ryan T.: Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Harkless, Lawrence B.:
Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Hatori, Masahito: Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Heaslet, Michael W.: Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81
Helfand, Arthur E.: Foot impairment—an etiologic factor in falls in the aged, 4:304
Hill, Keith D.: Podiatric involvement in multidisciplinary falls-prevention clinics in Australia [Menz and Hill], 5:377
Hoffman, Arlene F.: The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign [Samuels] (commentary), 4:278
Hong, Youlian: Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447

J

Jenkins, Walter L.:
Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Lower-extremity overuse injury and use of foot orthotic devices in women's basketball (author's response), 2:172
Jervis, Aluko O.: Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Jessup, Rebecca L.: Foot pathology and inappropriate footwear as risk factors for falls in a subacute aged-care hospital, 3:213
Jimenez, Carlos: Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Johnson, Cherie H.: Medial tibial stress syndrome (tibial fasciitis): a proposed pathomechanical model involving fascial traction [Bouché and Johnson], 1:31
Jones, Jeanine L.: Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85
Joseph, Warren S.:
The branches of the superficial peroneal nerve and their clinical significance [Lemont] (commentary), 4:319
Celebrating 100 years of the *Journal*, 4:259
From *Pedic Society Items* to JAPMA: 1907-2007, 1:1
Guidelines for authors, 1:89, 3:249, 5:431
Pencillin [Stickel] (commentary), 4:285
Joslin, Elliott P.: The obligation and the opportunity of the chiropodist in the treatment of diabetes, 4:271

K

Kalenderer, Onder: Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Kanat, Irvin O.:
Civic Hospital: a report of its first year of operation (commentary), 4:296
Review of *Public Health and Podiatric Medicine: Principles and Practice*, 2nd Ed (Helfand, ed), 3:248
Kanda-Mehtani, Sneh L.: Return-to-activity levels in 96 athletes with stress fractures of the foot, ankle, and leg: a retrospective analysis [Heaslet and Kanda-Mehtani], 1:81

Kaplan, Earl G.: Civic Hospital: a report of its first year of operation, 4:296
Karapinar, Hasan: Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Karapinar, Levent: Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Kavros, Steven J.: Use of noncontact low-frequency ultrasound in the treatment of chronic foot and leg ulcerations [Kavros and Schenck], 2:95
Kilicoglu, Onder: Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160
Killian, Clyde B.: Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Kokubun, Shoichi: Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Kurt, Bulent: An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

L

Laughner, Todd: Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
Lee, Daniel K.: Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Lembo, Thomas, Jr.: Protein S deficiency and lower-extremity arterial thrombosis: complicating a common presentation [Archer et al], 2:151
Lemont, Harvey:
The branches of the superficial peroneal nerve and their clinical significance, 4:319
The use of vitamin B^{12} in Morton's neuralgia [Steinberg] (commentary), 4:293
Li, Jing Xian: Kinematic and electromyographic analysis of the trunk and lower limbs during walking in negative-heeled shoes [Li and Hong], 6:447
Little, Eugene R., Jr.: The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121
Lopez, Ubaldo: Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Losito, James M.: Tibial sesamoid fracture in a softball player [Jones and Losito], 1:85
Loudon, Janice: Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371

M

Manisali, Metin: Effects of three- or four-cortex syndesmotic fixation in ankle fractures [Gunal et al], 6:457
Marin, Luis: Exercise-induced rhabdomyolysis [Caban et al], 3:234
Martínez-Nova, Alfonso: A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
McGlamry, E. Dalton: Charcot foot [Banks and McGlamry], 4:325
McPoil, Thomas G.:
The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Prediction of dynamic foot posture during running using the longitudinal arch angle [McPoil and Cornwall], 2:102
Mendicino, Robert W.: Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Menz, Hylton B.:
Foot health service provision by the Australian Department of Veterans' Affairs: do major podiatry interventions reduce the number of maintenance treatments? [Frescos and Menz], 6:469
Foot impairment—an etiologic factor in falls in the aged [Helfand] (commentary), 4:304
Podiatric involvement in multidisciplinary falls-prevention clinics in Australia [Menz and Hill], 5:377
Mesa, Manuel: Clinical and radiologic features of pigmented villonodular synovitis of the foot: report of eight cases [Carpintero et al], 5:415
Miller, Stephen J.: Phenol-alcohol technique for correction of infected ingrown toenail [Yale] (commentary), 4:310
Miranpuri, Sarnarendra: Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Morrison, Stewart C.: Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
Mozena, John D.: Efficacy of chemical neurolysis for the treatment of interdigital nerve compression of the foot: a retrospective study [Mozena and Clifford], 3:203
Munuera, Pedro V.: Radiographic study about the size of the first metatarsodigital segment in feet with incipient hallux limitus [Munuera et al], 6:460

N

Nalcakan, Mesut: Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385
Nelson, Scott C.: The 36-Item Short-Form Health Survey outcome evaluation for multiple lower-extremity nerve decompressions in diabetic peripheral neuropathy: a pilot study [Nelson and Little], 2:121
Nguyen, Scott H.: Internet resources for podiatric medical students: a second update [Fikar and Nguyen], 6:486
Nirenberg, Michael S.: Atypical gout in the foot and ankle secondary to primary hyperparathyroidism [Nirenberg and Carroll], 3:245

O

Obidigbo, Henrietta: Negative-pressure wound therapy and external fixation for infection and hematoma after hallux abducto valgus surgery [Ferdinando et al], 5:410
Odgaard, Anders: Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483
Otter, Simon J.: Use of quantitative ultrasound scans of the calcaneus to diagnose osteoporosis in patients with rheumatoid arthritis [Cryer et al], 2:108
Ozcan, Ozal:
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385
Ozdemir, Taner: An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218
Özer, Hamza: Giant cell tumor of the talar neck [Selek et al], 3:225

Oztekin, Haluk H.:
Abnormal proximal fifth metatarsal and os vesalianum pedis [Boya et al], 5:428
Second-toe length and forefoot disorders in ballet and folk dancers [Oztekin et al], 5:385
Ozturan, Engin Kutay: An uncommon presentation of malignant fibrous histiocytoma of the calcaneus [Demiralp et al], 3:218

P

Page, Jeffrey C.: Ciclopirox 8% nail lacquer topical solution for the treatment of onychomycosis in patients with diabetes: a multicenter, open-label study [Brenner et al], 3:195
Payne, Craig B.: Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207
Perez, Hugo R.: Equinus deformity as a factor in forefoot nerve entrapment (letter), 2:171
Pokrassa, Mitchell: Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Pribut, Stephen M.: Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids, 1:68
Pupp, Guy R.: Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189

R

Radovic, Philip: Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Raedeke, Suzanne G.: Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Richie, Douglas H., Jr.: Effects of foot orthoses on patients with chronic ankle instability, 1:19
Riley, Geoffrey M.: Magnetic resonance imaging in the evaluation of sports injuries of the foot and ankle: a pictorial essay, 1:59
Robbins, Jeffrey M: Review of *Foot Health Training Guide for Long-Term Care Personnel* (Helfand), 5:430
Robertozzi, Christian A.:
Acceptance address: saluting the present, envisioning an even brighter future, 3:254
Grateful, 6:494
Strategic planning, 5:436
Vision 2015: blueprint for parity, 4:349
Root, Merton L.: An approach to foot orthopedics, 4:299
Roukis, Thomas S.: A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Russell, Trevor: The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115

S

Samuels, Saul S.: The early diagnosis of thrombo-angiitis obliterans: a new diagnostic sign, 4:278
Sánchez-Rodríguez, Raquel: A new onychocryptosis classification and treatment plan [Martínez-Nova et al], 5:389
Sanner, William H.: An approach to foot orthopedics [Root] (commentary), 4:299
Scarlet, Jonathan J.: Lower-extremity overuse injury and use of foot orthotic devices in women's basketball (letter), 2:172
Scavone, Frederick: Exercise-induced rhabdomyolysis [Caban et al], 3:234
Schenck, Erik C.: Use of noncontact low-frequency ultrasound in the treatment of chronic foot and leg ulcerations [Kavros and Schenck], 2:95
Schinke, Theresa L.: The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439
Schoene, Lisa M.: Biomechanical evaluation of dancers and assessment of their risk of injury, 1:75
Schofield, David M.:
Address to APMA's House of Delegates, 3:252
Thank you, 2:174
A victory hard won, 1:94
Schreck, Michael A.: Acute myelogenous leukemia as the cause of a nonhealing infection in a 10-month-old infant, 2:145
Selek, Hakan: Giant cell tumor of the talar neck [Selek et al], 3:225
Sen, Cengiz: Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Shah, Kalpesh: Fracture of the lateral cuneiform only: a rare foot injury [Shah and Odgaard], 6:483
Shibuya, Naohiro: The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439
Singer, Kevin P.: Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Skardoon, Gillian: The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Smith, Robert G.: Painful diabetic peripheral neuropathy, 5:394
Snook, Eric: Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Steinberg, Marvin D.: The use of vitamin B12 in Morton's neuralgia, 4:293
Stickel, William J.: Pencillin, 4:285

T

Taranto, Julie: Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Taranto, Michael J.: Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus [Taranto et al], 3:175
Tax, Herman R.: An introduction to the study of children's feet: part one, 4:287
Todd, William: Post-traumatic myositis ossificans circumscripta: an unusually large example [Todd et al], 3:229
Toursarkissian, Boulos: Lateral plantar artery aneurysm: a case report [Toursarkissian et al], 6:480
Tozun, I. Remzi: Posterior bone block for footdrop: a report of two cases [Kilicoglu and Tozun], 2:160
Turanli, Sacit: Giant cell tumor of the talar neck [Selek et al], 3:225

V

Van, Phi: Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Vang, David: Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148

Vicenzino, Bill: The ability to predict dynamic foot posture from static measurements [Franettovich et al], 2:115
Volpe, Russell G.: An introduction to the study of children's feet: part one [Tax] (commentary), 4:287

W

Watanabe, Mika: Chondrosarcoma of the distal phalanx of the great toe [Hatori et al], 2:156
Watt, Gordon F.: Anthropometric foot structure of peripubescent children with excessive *versus* normal body mass: a cross-sectional study [Morrison et al], 5:366
Weinstein, Stan: Forefoot adductus correction in clubfoot deformity with cuboid-cuneiform osteotomy: a retrospective analysis [Lee et al], 2:126
Werd, Matthew B.: Achilles tendon sports injuries: a review of classification and treatment, 1:37
Williams, Bruce E.: Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Williams, D. S., III: Anterior cruciate ligament injury in female and male athletes: the relationship between foot structure and injury [Jenkins et al], 5:371
Williams, David V.: Negative-pressure wound therapy and diabetic foot amputations: a retrospective study of payer claims data [Frykberg and Williams], 5:351
Wilusz, Peter M.: Complications associated with distraction osteogenesis for the correction of brachymetatarsia: a review of five procedures [Wilusz et al], 3:189
Winograd, Alvin M.: A modification in the technic of operation for ingrown toe-nail, 4:274

Y

Yadav-Shah, Ekta: Modified Youngswick procedure for hallux limitus [Radovic et al], 5:420
Yakel, James D.: Clinical uses of in-shoe pressure analysis in podiatric sports medicine [Williams and Yakel], 1:49
Yale, Jeffrey F.: Phenol-alcohol technique for correction of infected ingrown toenail, 4:310
Yeniel, Kursad: Arthroscopic removal of a subperiosteal osteoid osteoma of the talus [Gunes et al], 3:238
Yong, Raymond M.: Neurilemoma of the posterior tibial nerve and tarsal tunnel syndrome [Miranpuri et al], 2:148
Yu, Gerard V.: The effect of cryotherapy devices in the postoperative setting [Shibuya et al], 6:439

Z

Zammit, Gerard V.: Relationship between positive clinical outcomes of foot orthotic treatment and changes in rearfoot kinematics [Zammit and Payne], 3:207
Zgonis, Thomas: A simple technique for performing percutaneous fixation of fifth metatarsal base fractures [Roukis et al], 3:244
Zych, David: The *Journal of the American Podiatric Medical Association:* one hundred years of passion and progress, 4:260